



# Microbiological Analysis Request Form

<b>Company</b>	<b>Email</b>	
<b>Contact person</b>	<b>Date</b> ____ / ____ / 20__	<b>Tel</b>

<b>Sample number</b> (for laboratory use only)	Sample nr	Sample nr	Sample nr	Sample nr	Sample nr
<b>Product (wine/water/juice/tea/swab/etc.)</b>					
<b>Description</b>					

<b>General Microscopy</b>					
Microscopic Identification	Monitor sample for microbiological activity				

<b>Beer</b>					
Yeast Culture					
Aerobic Bacteria Culture	Direct/filter plating onto various media; 7-day turnaround time				
Anaerobic Bacteria Culture					

<b>Plating- direct (± 1 mL) or filter plating (100 mL)</b>					
Yeast Culture	Non-selective detection and enumeration of any viable yeast; 3-day turnaround time				
Bacteria Culture	Non-selective detection and enumeration of any viable bacteria, 7-day turnaround time				
Brettanomyces Culture	Selective plating for viable Brettanomyces cells; 7-day turnaround time				
Osmophilic yeast	Selective plating for viable yeasts that can survive high sugar concentrations; 3-day turnaround time				
Yeast and mould	Non-selective plating for the detection of any viable yeast and mould; 3-day turnaround time				
Total plate count/Total Microbial Activity	Non-selective plating for the detection of any aerobic micro-organisms including yeasts, moulds, bacteria, and fungi; 5-day turnaround time				
<i>Escherichia coli</i>	Selective plating for the detection of <i>E. Coli</i> ; 1-day turnaround time				
Total Coliforms	Selective plating for the detection of Coliforms; 1-day turnaround time				
<i>Staphylococcus spp.</i>	Selective plating for <i>Staphylococcus spp.</i> ; 2-day turnaround time				
<i>Salmonella spp.</i>	Selective plating for the detection of <i>Salmonella spp.</i> ; 3-day turnaround time				
<i>Clostridium spp.</i>	Selective plating for the detection of <i>Clostridium spp.</i> ; 2-day turnaround time				
<i>Enterococcus faecalis</i>	Selective plating for the detection of <i>Enterococcus faecalis</i> ; 1-day turnaround time				
<i>Proteus spp.</i>	Selective plating for the detection of <i>Proteus spp.</i> ; 1-day turnaround time				
<i>Micrococcus luteus</i>	Selective plating for the detection of <i>Micrococcus luteus</i> ; 2-day turnaround time				
<i>Bacillus subtilis</i>	Selective plating for the detection of <i>Bacillus subtilis</i> ; 2-day turnaround time				
<i>Klebsiella pneumonia</i>	Selective plating for the detection of <i>Klebsiella pneumonia</i> ; 1-day turnaround time				
<i>Shigella sonnei</i>	Selective plating for the detection of <i>Shigella sonnei</i> ; 1-day turnaround time				
<b>SMS MY RESULTS</b>					

This document shall not be reproduced without the written approval of Vinlab (Pty) Ltd. Vinlab is not liable to any client for any loss or damages suffered which could, directly or remotely, be linked to our services. Results relate only to items received.

Doc no:VIN-08-01 15-02-2024

Distillery Road, Stellenbosch 7600, South Africa  
T: +27 21 882 8864  
M: +27 43 685 0750  
[info@vinlab.com](mailto:info@vinlab.com)  
[www.vinlab.com](http://www.vinlab.com)

Are you satisfied with our service?

☹	😊	😊
---	---	---